

# Safety data sheet

Page: 1/6

BASF Safety data sheet according to Regulation (EC) No.1907/2006

Date / Revised: 30.07.2007

Product: **Chroma-Lite® Dark Blue CL4501**

Version: 1.0

(30322185/SDS\_COS\_EU/EN)

Date of print 31.07.2007

## 1. Substance/preparation and company identification

### Chroma-Lite® Dark Blue CL4501

Use: cosmetic ingredient

Company:

BASF Aktiengesellschaft

67056 Ludwigshafen

GERMANY

Fine Chemicals Division

Telephone: +49 621 60-28444

Telefax number: +49 621 60-28189

E-mail address: masterdata-support.me@basf.com

Emergency information:

Telephone: +49 180 2273-112

Telefax number: +49 621 60-92664

## 2. Hazard identification

No particular hazards known.

## 3. Composition/information on ingredients

Chemical nature

Mica group minerals

Bismuth chloride oxide

inorganic pigment

---

## 4. First-aid measures

General advice:

Remove contaminated clothing.

If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

On skin contact:

Wash thoroughly with soap and water.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink plenty of water.

Note to physician:

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## 5. Fire-fighting measures

Suitable extinguishing media:

dry extinguishing media, foam

Unsuitable extinguishing media for safety reasons:

carbon dioxide

Specific hazards:

hydrogen chloride, cyanides

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

## 6. Accidental release measures

Personal precautions:

Avoid dust formation.

Environmental precautions:

Do not empty into drains.

Methods for cleaning up or taking up:  
For small amounts: Pick up with suitable appliance and dispose of.  
For large amounts: Pick up with suitable appliance and dispose of.

---

## 7. Handling and storage

### Handling

Breathing must be protected when large quantities are decanted without local exhaust ventilation.  
Avoid contact with the skin, eyes and clothing.

Protection against fire and explosion:

No special precautions necessary.

### Storage

Further information on storage conditions: No special precautions necessary.

---

## 8. Exposure controls and personal protection

### Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:

Chemical resistant protective gloves (EN 374)

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374):

e.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), polyvinylchloride (0.7 mm) and other

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Apron

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Due to the colouring properties of the product closed work clothes should be used, to avoid stains during manipulation. Hands and/or face should be washed before breaks and at the end of the shift.

---

## 9. Physical and chemical properties

Form:	powder	
Colour:	dark blue	
Odour:	odourless	
pH value:	7 - 11 (40 g/l, 20 °C)	(DIN EN ISO 787-9)
Melting point:	The substance / product decomposes.	
Flash point:	Not applicable	
Flammability:	does not ignite	
Explosion hazard:	not explosive	
Vapour pressure:	Not applicable	
Density:	3.5 kg/l	
Relative density:	3.5	
Solubility in water:	insoluble	

## 10. Stability and reactivity

Substances to avoid:  
reducing agents, oxidizing agents, strong acids, bases

Hazardous reactions:  
No hazardous reactions when stored and handled according to instructions.

Hazardous decomposition products:  
hydrogen chloride, carbon monoxide, carbon dioxide  
cyanides

## 11. Toxicological information

### Acute toxicity

LD50 rat (oral): > 2,000 mg/kg

### Irritation

Primary skin irritation rabbit: non-irritant

Primary irritations of the mucous membrane rabbit: non-irritant

---

### Other relevant toxicity information

The product has not been tested. The statements on toxicology have been derived from products of a similar structure and composition.

---

## 12. Ecological information

### Ecotoxicity

Assessment of aquatic toxicity:

At the present state of knowledge, no negative ecological effects are expected.

### Persistence and degradability

Assessment biodegradation and elimination (H<sub>2</sub>O):

The colourant is insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plant

### Other adverse effects

Adsorbable organically-bound halogen (AOX):

This product contains no organically-bound halogen.

### Additional information

Other ecotoxicological advice:

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

---

## 13. Disposal considerations

Must be dumped or incinerated in accordance with local regulations.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

---

## 14. Transport information

### Land transport

ADR

Not classified as a dangerous good under transport regulations

RID

---

BASF Safety data sheet according to Regulation (EC) No.1907/2006

Date / Revised: 30.07.2007

Product: **Chroma-Lite® Dark Blue CL4501**

Version: 1.0

(30322185/SDS\_COS\_EU/EN)

Date of print 31.07.2007

---

Not classified as a dangerous good under transport regulations

**Inland waterway transport**

*ADNR*

Not classified as a dangerous good under transport regulations

**Sea transport**

*IMDG*

Not classified as a dangerous good under transport regulations

**Air transport**

*IATA/CAO*

Not classified as a dangerous good under transport regulations

---

## 15. Regulatory information

**Regulations of the European union (Labelling) / National legislation/Regulations**

The product does not require a hazard warning label in accordance with EC Directives.

**Other regulations**

---

## 16. Other information

Due to the merger of Engelhard Corp. and BASFGroup all Material Safety Data Sheets have been reassessed on the basis of consolidated information. This may have resulted in changes of the Material Safety Data Sheets. In case you have questions concerning such changes please contact us under the address mentioned in Section I.

---

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.