

SAFETY DATA SHEET
Ferrispec FP Green Iron Oxide Pigment

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME Ferrispec FP Green Iron Oxide Pigment
 PRODUCT NO. FFPGIOP
 SYNONYMS, TRADE NAMES GB4000
 SUPPLIER Elementis Pigments,
 Birtley, Chester-le-Street,
 Co. Durham, DH3 1QX,
 United Kingdom.
 Tel. : +44 (0)191 410 2361
 Fax : +44 (0)191 410 6005
 EMERGENCY TELEPHONE +44 (0)191 410 2361
 National Chemical Emergency Centre: 01865 407333 (UK/Eire only)

2 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
Black Iron Oxide	235-442-5	12227-89-3	30-60%	-
Yellow Iron Oxide	257-098-5	51274-00-1	30-60%	-

The Full Text for all R-Phrases are Displayed in Section 16

COMPOSITION COMMENTS

Varying proportions of red/yellow/black iron oxide pigments.

Mixture of Fe₂O₃; Fe₂O₃H₂O; Fe₃O₄

Yellow iron oxide: CAS No.: 51274-00-1 EINECS No.: 2570985

Red iron oxide: CAS No.: 1332-37-2 or 1309-37-1 EINECS No.: 2155708 or 2151682 respectively. Black Iron Oxide: CAS No.: 12227-89-3

EINECS No.: 2354425

3 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

4 FIRST-AID MEASURES

GENERAL INFORMATION

Contaminated clothing should be removed and washed before being re-used.

INHALATION

Remove victim immediately from source of exposure. Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

INGESTION

Rinse mouth thoroughly with water. Victims who are not unconscious should drink large quantities of milk or water, or self induce vomiting (e.g. by sticking own finger into the throat). NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Get medical attention if any discomfort continues.

SKIN CONTACT

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

EYE CONTACT

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Use fire-extinguishing media appropriate for surrounding materials. Use: Water spray, fog or mist. Foam. Carbon dioxide (CO₂). Dry chemicals, sand, dolomite etc.

Ferrispec FP Green Iron Oxide Pigment

SPECIAL FIRE FIGHTING PROCEDURES

This material is non-combustible, but may be subject to slow oxidation if stored at temperatures above 60°C as a result of the presence of black iron oxide. If oxidation should occur, heat will be liberated which could cause surrounding combustibles to burn. Use extinguishing media appropriate for any combustible material involved in the fire. The pallet should be broken apart and cooled with water to dissipate the heat.

UNUSUAL FIRE & EXPLOSION HAZARDS

No unusual fire or explosion hazards noted.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Wear protective clothing if dust in the atmosphere is a problem.

ENVIRONMENTAL PRECAUTIONS

Avoid washing into water courses. Avoid contaminating public drains or water supply.

SPILL CLEAN UP METHODS

Avoid dust formation. Collect powder using special dust vacuum cleaner with particle filter or carefully sweep into closed container.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Avoid handling which leads to dust formation.

STORAGE PRECAUTIONS

Product is not stable if stored at temperatures above 60°C due to the content of black iron oxide. Store in tightly closed original container in a dry and cool place.

STORAGE CLASS

Unspecified storage.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	LT - ppm	LT - mg/m3	ST - ppm	ST - mg/m3
Black Iron Oxide	NUI	-	-	-	-
Yellow Iron Oxide	NUI	-	-	-	-

INGREDIENT COMMENTS

NUI = Nuisance Dust.

The UK HSE guidance note EH40, recommends adequate control of exposure to dusts and where there is no indication of the need for a lower value, personal exposure should be kept below:-

8h TWA 10 mg/m3 total inhalable dust.

8h TWA 4 mg/m3 respirable dust

PROTECTIVE EQUIPMENT



PROCESS CONDITIONS

Use engineering controls to reduce air contamination to permissible exposure level. Provide eyewash station.

ENGINEERING MEASURES

Provide adequate general and local exhaust ventilation.

RESPIRATORY EQUIPMENT

No specific recommendation made, but protection against nuisance dust must be used when the general level exceeds 10 mg/m3.

HAND PROTECTION

Use suitable protective gloves if risk of skin contact.

EYE PROTECTION

Wear dust resistant safety goggles where there is danger of eye contact.

OTHER PROTECTION

Wear appropriate clothing to prevent repeated or prolonged skin contact.

Ferrispec FP Green Iron Oxide Pigment

HYGIENE MEASURES

No specific hygiene procedures noted, but good personal hygiene practices are always advisable, especially when working with chemicals
. Change work clothing daily before leaving work place.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Powder, dust		
COLOUR	Brown or Green		
ODOUR	Odourless		
PHYSICAL DATA COMMENTS	pH : 3 - 6 typically		
SOLUBILITY	Insoluble in water		
PHYSICAL DATA COMMENTS	pH : 3 - 6 typically		
BOILING POINT (°C)	> 1000	RELATIVE DENSITY	4.8 g/ml @ 20 °c

10 STABILITY AND REACTIVITY

STABILITY

From ca. 60°C, transformation of black iron oxide to Fe₂O₃ will occur as an exothermic reaction. Yellow iron oxide will lose water of hydration at 180°C and convert to Fe₂O₃.

CONDITIONS TO AVOID

Avoid heat.

MATERIALS TO AVOID

No incompatible groups noted.

HAZARDOUS DECOMPOSITION PRODUCTS

No hazardous decomposition products.

11 TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION

From literature surveys undertaken:-

Iron oxides:-

LD50: oral, rat = > 5000 mg/kg

Rabbit: eyes = non irritant

Rabbit: skin (24h) = non irritant

GENERAL INFORMATION

No specific health warnings noted.

INHALATION

Repeated and prolonged inhalation of iron oxide fume has been reported to produce changes in lung X-Rays of exposed individuals. This condition, siderosis, is considered to be a benign pneumoconiosis that exhibits no adverse health effects. To the best of our knowledge, this condition has not been observed after prolonged exposure to iron oxide pigments.

INGESTION

No specific health warnings noted.

SKIN CONTACT

Powder may irritate skin.

EYE CONTACT

May cause irritation.

OTHER HEALTH EFFECTS

This substance has no evidence of carcinogenic properties.

MEDICAL SYMPTOMS

Prolonged or repeated exposure may cause: Skin irritation. Irritation of eyes and mucous membranes.

12 ECOLOGICAL INFORMATION

ECOTOXICITY

From literature surveys undertaken:-

Aquatic toxicity (fish): = Leuciscus idus (Golden Orfe) LCo: >1000 mg/l

Bacterial toxicity: = harmless against Pseudomonas putida at >1000 mg/l

Water hazard classification = According to present state of knowledge, these pigments are generally not hazardous to water. Separation: these pigments are separated in most filtration and/or sedimentation processes. Biological/Chemical Oxygen Demand: Not applicable.

Ferrispec FP Green Iron Oxide Pigment

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Recover and reclaim or recycle, if practical. Contact specialist disposal companies. Dispose of waste and residues in accordance with local authority requirements.

14 TRANSPORT INFORMATION

GENERAL	Not classified as dangerous for transport purposes. No transport warning sign required.
ROAD TRANSPORT NOTES	Not classified as dangerous for road transport.
RAIL TRANSPORT NOTES	Not classified as dangerous for rail transport.
SEA TRANSPORT NOTES	Not classified as dangerous for sea transport.
AIR TRANSPORT NOTES	Not classified as dangerous for air transport.

15 REGULATORY INFORMATION

RISK PHRASES	NC	Not classified.
SAFETY PHRASES	P13	Safety data sheet available for professional user on request.

UK REGULATORY REFERENCES
Chemicals (Hazard Information & Packaging) Regulations 1996.

EU DIRECTIVES
Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC.

GUIDANCE NOTES
UK HSE guidance note EH40, Workplace Exposure Limits.

16 OTHER INFORMATION

GENERAL INFORMATION
See technical literature for details of suitable applications of this product.

REVISION COMMENTS
Directive 2001/58/EC

REV. NO./REPL. SDS GENERATED 1/

SDS NO. FFPGIOP

DATE 17/08/06

RISK PHRASES IN FULL
NC Not classified.

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.